

	直接法		間接法		解析解
	<i>UT</i> (singular)	<i>LM</i> (hypersingular)	<i>UL</i> (single-layer)	<i>TM</i> (double-layer)	
	$\{t\} = \begin{Bmatrix} -0.587 \\ 0.587 \\ 0.587 \\ -0.587 \end{Bmatrix}$	$\{t\} = \begin{Bmatrix} -0.542 \\ 0.542 \\ 0.542 \\ -0.542 \end{Bmatrix}$	$\{f\} = \begin{Bmatrix} 0.03677 \\ -0.25191 \\ -0.25191 \\ 0.03677 \end{Bmatrix}, \{t\} = \begin{Bmatrix} -0.5224 \\ 0.65237 \\ 0.65237 \\ -0.5224 \end{Bmatrix}$	$\{j\} = \begin{Bmatrix} -0.07311 \\ 0.15269 \\ 0.15269 \\ -0.07311 \end{Bmatrix}, \{t\} = \begin{Bmatrix} -0.54193 \\ 0.54193 \\ 0.54193 \\ -0.54193 \end{Bmatrix}$	
$u(0.5,0.5)$	0.250	0.250	0.24147	0.2500	0.25
$u_x(0.5,0.5)$	0.45281	0.43012	0.45346	0.45161	0.5
$u_y(0.5,0.5)$	0.45281	0.43012	0.45346	0.45161	0.5