

# Conformal Mapping and Bipolar Coordinate for Eccentric Laplace Problems

JENG-TZONG CHEN,<sup>1</sup> MING-HONG TSAI,<sup>1</sup> CHEIN-SHAN LIU<sup>2</sup>

<sup>1</sup>*Department of Harbor and River Engineering, National Taiwan Ocean University, Keelung, Taiwan*

<sup>2</sup>*Department of Mechanical and Mechatronic Engineering, National Taiwan Ocean University, Keelung, Taiwan*

Received 28 July 2008; accepted 5 October 2008

**ABSTRACT:** Boundary value problems on the eccentric annulus are quite complex and cannot directly be solved analytically using cartesian or polar coordinates. Many mathematical techniques have been used to solve such a problem by using conformal mapping and bipolar coordinate. In the [literature](#)<sup>O2</sup>, Carrier and Pearson [Partial differential equation-theory and technique. New York, Academic Press, 1976, pp 68–71], Muskhelishvili [Some basic problems of the mathematical theory of elasticity. Noordhoff, Groningen; 1953, pp 175–179], Ling [Torsion of an eccentric circular tube, Technical Report, No. 1, Chinese Bureau of Aeronautical Research, 1940], Timoshenko and Goordier [Theory of Elasticity. New York, McGraw-Hill; 1972, pp 196–202], Shen [Null-field approach for Laplace problems with circular boundaries using degenerate kernels, Master thesis, National Taiwan Ocean University, Keelung, Taiwan, 2005], Lebedev et al. [Worked Problems in Applied Mathematics. New York, Dover; 1965] have solved this kind of problems using similar techniques. By using transformation in a transformed plane in the complex variable theory, we can obtain the analytical solution easily. We focus on the connection between conformal mapping and curvilinear coordinates, and figure out the relation to take integration by way of mapping in the complex plane. All the transformations and curvilinear coordinates can be unified using the viewpoint of conformal mapping. Their relationship among available methods can be constructed by translation, stretching, rotation and inversion. Finally, an example of eccentric domain is solved by using various mappings and curvilinear coordinates and their relation are linked. Not only geometry transformation is addressed but also the solution of the Laplace equation is obtained. ©2008 Wiley Periodicals, Inc. *Comput Appl Eng Educ* 14: 1–11, 2009; Published online in Wiley InterScience (www.interscience.wiley.com); DOI 10.1002/cae.20208

**Keywords:** conformal mapping; bipolar coordinate; complex plane; transformation; eccentric circle; Laplace equation

## INTRODUCTION

Based on the complex variable theory, a number of physical problems governed by Laplace equation in

---

Correspondence to J.-T. Chen (jtchen@mail.ntou.edu.tw).  
© 2008 Wiley Periodicals Inc.

two independent variables, for example, steady-state heat condition, electrostatic potential and fluid flow, can be solved by using conformal mapping to obtain an analytical solution. Also we can formulate the same problems using different curvilinear coordinates to obtain a solution, for example, bipolar coordinate and elliptic coordinate. Carrier and Pearson [1] used a technique for solving certain kinds of potential problems, based on the bilinear transformation of conformal mapping. The eccentric case was mapped to an annular domain. For a polygonal shape, it can also be mapped to regular region by using the Schwarz-Christoffel transformation [2,3]. For the regular domain, it is easy to solve the Laplace equation subject to Dirichlet boundary condition in the polar or rectangular coordinate. Muskhelishvili [4] gave us a detailed description how an eccentric annulus can be mapped into concentric annulus using a simple form of linear fractional transformation. Shen [5], Chen and Weng [7] also used the same method to solve eccentric annulus problems. Although a bilinear transformation was used, the mapping functions were not exactly the same between the one of Carrier and Pearson [1] and that of Muskhelishvili [4]. Some differences such as translation and stretching can be found. Problems involving two nonconcentric boundaries usually require the use of the bipolar coordinate. Ling [8], Timoshenko and Goordier [9], and Lebedev et al. [11] all presented an analytic solution using the bipolar coordinate for the torsion of an eccentric bar. However, the mapping functions were also not exactly the same. One [8] is a cotangent function, another [11] is a hyperbolic tangent function and the other [9] is a hyperbolic cotangent function. After the bipolar coordinate is introduced, the special domain problem can be solved by using separation variable in a regular domain. A typical example would be the electric field surrounding two parallel cylindrical conductors. Stephens and Casemore [12], proposed an alternative method to determine the negative stiffness coefficients for a large class of magnetic actuators. They solved the Dirichlet Laplace problems for the magnetomotive force in the actuator air gap, subject to periodic boundary conditions that can be represented by Fourier series. We can find that bipolar coordinate is actually a kind of conformal mapping. Although Carrier and Pearson [1], Muskhelishvili [4], Ling [8], Timoshenko and Goordier [9], Shen [5], Stephens and Casemore [12] have solved the eccentric Laplace problems, their approaches are very similar but they are not fully equivalent.

This paper will link the relationship of various approaches from the viewpoint of conformal mapping.

The other parts of the present paper are arranged as follows. In Conformal Mapping Using Bilinear Function Section, the method of conformal mapping is reviewed and the analytic solution of the Laplace equation with an annular domain is reviewed. In Geometric Characterization of the Bipolar Coordinate Section, we not only describe the geometric characterization of bipolar coordinate but also derive the analytic solution of Laplace's equation. In An Illustrative Example Section, an example is demonstrated to link the relationship among many previous approaches based on the viewpoint of conformal transformation through translation, stretching, rotation and inversion. Finally, a conclusion is drawn in fifth section.

## CONFORMAL MAPPING USING BILINEAR FUNCTION

Definition of the bilinear transformation is given below:

$$z = \frac{aw + b}{cw + d} \quad (1)$$

where  $a, b, c, d$  are constants (in general, complex). Equation (1) is also called a linear fractional transformation or Möbius transformation [2]. Solving (1) for  $w$  in terms of  $z$ , we have, likewise bilinear, the inverse transformation:

$$w = \frac{-dz + b}{cz - a} \quad (2)$$

The bilinear transformation has the remarkable property that circles map to circles. The equation of any circle in the  $z$  plane is known to be of the following form:

$$A(x^2 + y^2) + Bx + Cy + D = 0 \quad (3)$$

where  $A, B, C$ , and  $D$  are real constants. Since  $x = ((z + \bar{z}) / 2)$ ,  $y = ((z - \bar{z}) / 2i)$ ,  $x^2 + y^2 = z\bar{z}$ , Equation (3) can be reformulated to:

$$Az\bar{z} + Mz + \bar{M}\bar{z} + D = 0 \quad (4)$$

where  $M$  and  $\bar{M}$  are conjugate complex constants. By representing  $z$  in terms of  $w$  using Equation (1) and substituting into Equation (4), we have

$$A_0w\bar{w} + M_0w + \bar{M}_0\bar{w} + D_0 = 0 \quad (5)$$

where  $A_0$  and  $D_0$  are real,  $M_0$  and  $\bar{M}_0$  are conjugate complex constants. This confirms that a circle in the  $z$  plane (Eq. 3) implies another circle in the  $w$  plane (Eq. 5). This provides one way to map an eccentric

case to an annulus case. For an eccentric annulus, a simple bilinear transformation will be studied here, as shown below:

$$z = \frac{w}{1 - aw} \quad (6)$$

where  $z = x + iy$ ,  $w = \rho e^{i\phi}$  and  $a$  is a real positive constant. We consider now two circles  $L_1$  and  $L_2$  in the  $z$  plane, which can be mapped to the two circles  $L'_1$  and  $L'_2$  with radii  $\rho_1$  and  $\rho_2$  in the  $w$  plane (Fig. 1). From Figure 1, we can find the circle  $L'$  in the  $w$  plane with the radius  $\rho$ . For the mapped annular case, we have  $\rho_1$  and  $\rho_2$  for inner and outer radii, respectively. Based on Equations (3) and (5), we can determine the origin of  $L_1$  and  $L_2$  in the  $z$  plane as shown below:

$$c_i = \frac{a\rho_i^2}{1 - a^2\rho_i^2}, \quad i = 1, 2 \quad (7)$$

$$r_i = \frac{\rho_i}{1 - a^2\rho_i^2}, \quad i = 1, 2 \quad (8)$$

The complex function maps eccentric circles with radii of  $r_1$  and  $r_2$  in the  $z$  plane onto the annular region bounded by the inner radius of  $\rho_1$  and outer radius of  $\rho_2$  in the  $w$  plane as shown in Figure 1 where  $l$  is the distance between their centers. Therefore it is easy to determine the quantity  $a$ , appearing in (6), and the radii  $\rho_1, \rho_2$  of the circles  $L'_1$  and  $L'_2$ . In real practice, three quantities  $r_1, r_2$ , and  $l$  are given in the  $z$  plane. For the  $w$  plane,  $\rho_1, \rho_2$ , and  $a$  satisfy the following three equations:

$$r_1 = \frac{\rho_1}{1 - a^2\rho_1^2} \quad (9)$$




Figure 1 Mapping<sup>Q6</sup> from the eccentric region to a concentric region.

$$r_2 = \frac{\rho_2}{1 - a^2\rho_2^2} \quad (10)$$

$$l = c_2 - c_1 = \frac{a\rho_2^2}{1 - a^2\rho_2^2} - \frac{a\rho_1^2}{1 - a^2\rho_1^2} \quad (11)$$

According to three equations (9–11), three unknown constants  $\rho_1, \rho_2$ , and  $a$  can be determined by

$$a = \frac{l}{\sqrt{(r_1^2 - r_2^2)^2 - 2l^2(r_1^2 + r_2^2) + l^4}} \quad (12)$$

$$\rho_1 = \frac{\sqrt{1 + 4r_1^2 a^2} - 1}{2r_1 a^2}, \quad \rho_2 = \frac{\sqrt{1 + 4r_2^2 a^2} - 1}{2r_2 a^2} \quad (13)$$

Then we can obtain an annulus with the radii of  $\rho_1$  and  $\rho_2$  from any eccentric annulus using mapping of Equation (6) with an appropriate value of  $a$ .

### Derivation of an Analytical Solution for the Laplace Equation With an Annular Domain

By using the bilinear transformation, an eccentric domain can be mapped to an annulus domain. The Dirichlet problem for an annular domain can be described as shown below:

$$\nabla^2 u = \frac{\partial^2 u}{\partial r^2} + \frac{1}{r} \frac{\partial u}{\partial r} + \frac{1}{r^2} \frac{\partial^2 u}{\partial \theta^2} = 0, \quad r_1 < r < r_2 \quad (14)$$

$$u(r_1, \theta) = f_1(\theta), \quad u(r_2, \theta) = f_2(\theta)$$

In addition,  $u(r, \theta)$  must satisfy the periodicity condition. Accordingly,  $f_1(\theta)$  and  $f_2(\theta)$  must also be periodic with a period of  $2\pi$ . Thus, the general solution is

$$u(r, \theta) = A_0 + B_0 \ln r + \sum_{n=1}^{\infty} [(A_n r^n + B_n r^{-n}) \cos n\theta + (C_n r^n + D_n r^{-n}) \sin n\theta]$$

where the Fourier coefficients  $A_0, B_0, A_n, B_n, C_n,$  and  $D_n$  are found by solving the following six equations [13]:

$$A_0 + B_0 \ln r_1 = \frac{1}{2\pi} \int_0^{2\pi} f_1(\theta) d\theta \quad (16)$$

$$A_n r_1^n + B_n r_1^{-n} = \frac{1}{\pi} \int_0^{2\pi} f_1(\theta) \cos n\theta d\theta \quad (17)$$

$$C_n r_1^n + D_n r_1^{-n} = \frac{1}{\pi} \int_0^{2\pi} f_1(\theta) \sin n\theta d\theta \quad (18)$$

$$A_0 + B_0 \ln r_2 = \frac{1}{2\pi} \int_0^{2\pi} f_2(\theta) d\theta \quad (19)$$

$$A_n r_2^n + B_n r_2^{-n} = \frac{1}{\pi} \int_0^{2\pi} f_2(\theta) \cos n\theta d\theta \quad (20)$$

$$C_n r_2^n + D_n r_2^{-n} = \frac{1}{\pi} \int_0^{2\pi} f_2(\theta) \sin n\theta d\theta \quad (21)$$

Now we can obtain an analytical solution for the eccentric case by using the conformal mapping.

## GEOMETRIC CHARACTERIZATION OF THE BIPOLAR COORDINATE

Bipolar coordinate  $(\xi, \eta)$  is defined by

$$x + iy = ic \cot\left(\frac{1}{2}\zeta\right), \quad \zeta = \xi + i\eta \quad (22)$$

where  $c > 0$ . Equation (22) yields

$$x = c \frac{\sin h\eta}{\cosh\eta - \cos\xi}, \quad y = c \frac{\sin\xi}{\cosh\eta - \cos\xi} \quad (23)$$

where  $-\pi \leq \xi < \pi$ ,  $-\infty < \eta < \infty$ . By eliminating  $\xi$  in Equation (23), we obtain a circle with the center of  $(c \cot h\eta, 0)$  and the radius of  $c \csc h\eta$  as shown below:

$$(x - c \cot h\eta)^2 + y^2 = c^2 \csc^2 h\eta \quad (24)$$

Elimination of  $\eta$  from Equation (23) results in the other circle with the center of  $(0, c \cot \xi)$  and the radius of  $c \csc \xi$  as given below:

$$x^2 + (y - c \cot \xi)^2 = c^2 \csc^2 \xi \quad (25)$$

From Equations (24) and (25), the bipolar coordinates are shown in Figure 2. Denoting by  $(\Gamma_1, \varphi_1)$  and  $(\Gamma_2, \varphi_2)$ , the polar coordinates for the poles of  $(\pm c, 0)$ , in Figure 3, respectively, we have

$$x + iy - c = \Gamma_1 e^{i\varphi_1}, \quad x + iy + c = \Gamma_2 e^{i\varphi_2} \quad (26)$$

$$\eta = \log\left(\frac{\Gamma_2}{\Gamma_1}\right), \quad \xi = \varphi_1 - \varphi_2 \quad (27)$$

It follows that a curve  $\xi = \text{constant}$  is a family of circles passing through the poles  $(\pm c, 0)$ . The curve of  $\eta = \text{constant}$  shows a curve for which  $\Gamma_2/\Gamma_1 = \text{constant}$ . The proof is shown in the Appendix 1. Family of circles are drawn in Figure 2. The outer radius  $R_1$ , inner radius  $R_2$  and the displacement  $b$  are determined by Equation (24) as shown below:

$$R_1 = c \operatorname{csch}(\eta_1) \quad (28)$$

$$R_2 = c \operatorname{csch}(\eta_2) \quad (29)$$

$$b = c[\coth(\eta_1) - \coth(\eta_2)] \quad (30)$$

To describe an eccentric circle in the bipolar coordinate, the three quantities,  $c$ ,  $\eta_1$ , and  $\eta_2$  should be determined as shown below:

$$c = \frac{\sqrt{R_1^4 + R_2^4 - 2R_1^2 R_2^2 - 2b^2(R_1^2 + R_2^2) + b^4}}{2b} \quad (31)$$




Figure 2 Bipolar coordinate system (poles located on  $(\pm 1, 0)$ ).




Figure 3 Geometry relation of bipolar coordinate.

$$\eta_1 = \sinh^{-1} \frac{c}{R_1} \quad (32)$$

$$\eta_2 = \sinh^{-1} \frac{c}{R_2} \quad (33)$$

Then we can describe an eccentric annulus by using the bipolar coordinate.

### Viewpoint of Conformal Mapping for the Bipolar Coordinate

According to the inverse cotangent function [2] as shown below:

$$\cot^{-1}(z) = \frac{i}{2} \log \frac{z-i}{z+i} \quad (34)$$

Equation (22) can be rewritten as:

$$w(z) = \zeta = i \log \frac{z+c}{z-c} \quad (35)$$

Equation (35) indicates that curvilinear bipolar coordinate stems from the conformal mapping of Equation (22). The coordinate  $\xi$  changes from  $-\pi$  to  $\pi$  on crossing the segment of the  $x$ -axis joining the pole, its range for the whole plane being  $-\pi$  to  $\pi$ . The transformation from Equation (35), where the principal branch of the logarithmic function is used, can be decomposed to two mappings,

$$Z = \frac{z+c}{z-c} \quad (36)$$

$$w = \text{Log}(Z) \quad (37)$$

More precisely, by expressing  $Z = \mathbb{R} \exp(i\Theta)$  we obtain

$$\text{Log}(Z) = \ln \mathbb{R} + i\Theta, \quad (\mathbb{R} > 0, -\pi < \Theta < \pi) \quad (38)$$

We can understand that the point  $Z = \mathbb{R} \exp(i\Theta_0)$  ( $0 < \Theta_0 < \pi$ ) moves outward from the origin along the ray  $\Theta = \Theta_0$ , its transformation is the point whose rectangular coordinate in the  $w$  plane is  $(\ln \mathbb{R}, \Theta_0)$ . That transformation evidently moves to the right along the entire length of the horizontal line  $v = \Theta_0$ . Based on this transformation, we can find that an eccentric annulus can be mapped onto a rectangular domain.

### Derivation of an Analytical Solution for Eccentric Problems Using the Bipolar Coordinate

By using the bipolar coordinate, the eccentric domain can be mapped into the rectangular domain of  $(\xi, \eta)$ . Note that there are discontinuities in this mapping at  $\xi=0$  and  $\xi=\pi$ . This is due to the symmetry in the geometry above and below the  $x$ -axis. Since the boundary condition is not necessarily symmetric to  $(c,0)$  about this axis, the problem must be solved piecewise over the interval  $0 < \xi < \pi$  and  $-\pi < \xi < 0$ . By using this transformation, the solution  $f(x,y) = F(\xi, \eta)$  also satisfies the Laplace equation in the curvilinear coordinate as shown below:

$$F_{\xi\xi} + F_{\eta\eta} = 0 \quad (39)$$

The boundary conditions are given below in a general form as:

$$F(\eta_1, \xi) = F_1(\xi), \quad -\pi < \xi < \pi \quad (40)$$

$$F(\eta_2, \xi) = F_2(\xi), \quad -\pi < \xi < \pi \quad (41)$$

In addition to the specified boundary conditions, the following natural boundary conditions arise due to the periodic circular symmetry:

$$F_{\xi}(\eta, 0) = 0 \quad (42)$$

$$F_{\xi}(\eta, \pi) = 0 \quad (43)$$

The solution is obtained by using separation of variables which yields a series solution. This solution is valid on both piecewise intervals and is given by:

$$F(\eta, \xi) = a_0 + b_0\eta + \sum_{n=1}^{\infty} [(a_n e^{n\eta} + b_n e^{-n\eta}) \cos(n\xi) + (c_n e^{n\eta} + d_n e^{-n\eta}) \sin(n\xi)]$$

where the Fourier coefficients  $a_0, b_0, a_n, b_n, c_n,$  and  $d_n$  are determined by solving the following six equations simultaneously,

$$a_0 + b_0\eta_1 = \frac{1}{2\pi} \int_0^{2\pi} F_1(\xi) d\xi \quad (45)$$

$$a_0 + b_0\eta_2 = \frac{1}{2\pi} \int_0^{2\pi} F_2(\xi) d\xi \quad (46)$$

$$a_n e^{m\eta_1} + b_n e^{-m\eta_1} = \frac{1}{\pi} \int_0^{2\pi} F_1(\xi) \cos(n\xi) d\xi \quad (47)$$

$$a_n e^{m\eta_2} + b_n e^{-m\eta_2} = \frac{1}{\pi} \int_0^{2\pi} F_2(\xi) \cos(n\xi) d\xi \quad (48)$$

$$c_n e^{m\eta_1} + d_n e^{-m\eta_1} = \frac{1}{\pi} \int_0^{2\pi} F_1(\xi) \sin(n\xi) d\xi \quad (49)$$









$$c_n e^{m\eta_2} + d_n e^{-m\eta_2} = \frac{1}{\pi} \int_0^{2\pi} F_2(\xi) \sin(n\xi) d\xi \quad (50)$$

where  $F_1(\xi)$  and  $F_2(\xi)$  are the associated boundary conditions given piecewise over the intervals  $-\pi < \xi < 0$  and  $0 < \xi < \pi$  as shown in Equations (40) and (41).

## AN ILLUSTRATIVE EXAMPLE









Suppose we want to determine a harmonic function  $\psi$  in an eccentric annular region lying between two nonconcentric circles, and satisfying  $\psi = 0$  on the inner circle with a radius 1 and  $\psi = 1$  on the outer circle with radius  $5/2$ , where the center of outer circle located on the circumference of inner circle [1]. Several researchers, Carrier and Pearson [1], Muskhelishvili [4], Ling [8], Timoshenko and Goordier [9], Shen [5], Lebedev et al. [11] and Chen and Weng [7] have employed their approaches to solve this problem as shown in Tables 1 and 2. Although the result of Lebedev et al.'s [11] approach using the hyperbolic tangent function is not shown in Tables 1 and 2, it is different from the Timoshenko and Goordier formulation by inversion and rotation only. The geometry description of various formulations using the viewpoint of conformal mapping is shown in Table 1, and

**Table 1** [Geometry](#)<sup>O3</sup> Transformation of Various Formulations Using the Viewpoint of Conformal Mapping

Carrier & Pearson [1]	Muskhelishvili [2]	Chih-Bing Ling [3]	Timoshenko [4]
Bilinear mapping	Bilinear mapping	Bipolar coordinate	Bipolar coordinate
$z(w) = \frac{1-16w}{4(w-1)}$	$z(w) = \frac{15w}{15-4w}$	$z(w) = ic \coth\left(\frac{w}{2}\right)$	$z(w) = ic \coth\left(\frac{w}{2}\right)$
			
			

where  $z = x + iy$  and  $w = u + iv$ .

**Table 2** Analytic Solutions of Dirichlet Laplace problems Using Different Formulations (Blue Curve = 1, Green Curve = 0)

Carrier & Pearson [1]	Muskhelishvili [2]	Chih-Bing Ling [3]	Timoshenko [4]
Bilinear mapping	Bilinear mapping	Bipolar coordinate	Bipolar coordinate
$z(w) = \frac{1-16w}{4(w-1)}$	$z(w) = \frac{15w}{15-4w}$	$z(w) = ic \cot(\frac{w}{2})$	$z(w) = ic \coth(\frac{w}{2})$
			
Translation $\frac{1}{4}$	Translation $\frac{15}{8}$	Rotation $i$	
			
Stretching $\frac{15}{4}$	Stretching $\frac{4}{15}$	Stretching $\frac{4}{15}$	Rotation $-i$
		rotation $i$	
		Inversion $\frac{1}{w}$	
		Take Log	

where  $z = x + iy$  and  $w = u + iv$ .

their relations are connected through operation of translation, stretching, rotation, and inversion. We present a case by using four methods in Table 1, and the mapping functions for each method are shown below: Carrier and Pearson [1]:

$$w(z) = \frac{z + 1/4}{z + 4} \quad (51)$$

Muskhelishvili [4]:

$$w(z) = \frac{z}{1 + (4/15)z} \quad (52)$$

Ling [8]:

$$w(z) = i \text{Log} \left( \frac{z + 15/8}{z - 15/8} \right) \quad (53)$$

Timoshenko and Goordier [9]:

$$w(z) = \text{Log} \left( \frac{z + i(15/8)}{z - i(15/8)} \right) \quad (54)$$

The eccentric annular problem need three parameters to describe the geometry, eccentricity  $e$ , radii of large and small circles. We set the larger radius to be  $5/2$  and  $1$  for the smaller radius with the eccentricity  $1$ . For different observer systems, we have four geometry descriptions for the same problem. After setting the observer system, each case can be mapped to a regular domain by using the following equations of (51)–(54), respectively. According to Table 1, Figure 4 can be obtained from Figure 6 by translating  $1/4$ . By translating  $15/8$  again, we have Figure 8. By

**Table 3** Geometry Description

Carrier and Pearson [1]	Muskhelishvili [4]	Ling [8]	Timoshenko and Goordier [9]
$ z_g  = 1,  z_b - 1  = 5/2$	$ z_g - 1/4  = 1,$ $ z_b - 5/4  = 5/2$	$\eta_g = 0.693147,$ $\eta_b = 1.38629, c = 15/8,$ $ z_g - 17/8  = 1,$ $ z_b - 25/8  = 5/2$	$\xi_g = 0.693147, \xi_b = 1.38629,$ $c = 15/8,  z_g - 17/8i  = 1,$ $ z_b - 25/8i  = 5/2$
$ w_g  = 1/4,  w_b  = 1/2$	$ w_g  = 15/16,  w_b  = 15/8$	$A'(\pi, \ln(\eta_b)), B'(\pi, \ln(\eta_g)),$ $E'(\ln(\eta_g), \pi), F'(\ln(\eta_b), \pi),$	$A'(\ln(\xi_b), \pi), B'(\ln(\xi_g), \pi),$ $E'(\pi, \ln(\xi_g)), F'(\pi, \ln(\xi_b))$

Where the subscript  $g$  and  $b$  represent “green” curve and “blue” curve.

**Table 4** Analytic Solutions  
Carrier and Pearson [1]

	Muskhelishvili [4]	Ling [8]	Timoshenko and Goordier [9]
$\psi(x, y)$	$\psi(x, y) = \frac{1}{2\ln 2} \ln \left( \frac{16(x^2 + y^2) + 1 + 8x}{(x^2 + y^2) + 16 + 8x} \right)$	$\psi(x, y) = \frac{1}{\ln 2} \ln \left( \frac{256(x^2 + y^2)}{225 + 16(x^2 + y^2) + 120x} \right)$	$\psi(x, y) = \frac{\cot h^{-1} \left( \frac{c^2 + x^2 + y^2}{2cy} \right) - 1.38629}{0.693147 - 1.38629}$
$\psi(u, v)$	$\psi(u, v) = \frac{\ln \left( \frac{15}{16} (u^2 + v^2) \right)}{\ln 2}$	$\psi(u, v) = \frac{v - 1.38629}{0.693147 - 1.38629}$	$\psi(u, v) = \frac{u - 1.38629}{0.693147 - 1.38629}$

multiplying  $i$  (rotation of  $90^\circ$ ) of Figure 8, we obtain Figure 10. By stretching  $15/4$  of Figure 5, we have Figure 7. By stretching  $4/15$ , rotation  $i$ , inversion  $1/w$  and taking  $\text{Log}(w)$  of Figure 7, we transform to a rectangular domain of Figure 9. By multiplying  $-i$  (counterclockwise rotation of  $90^\circ$ ), Figure 11 can be obtained from Figure 9. Finally, it can be unified together through operations of stretching, translation, rotation, inversion and taking  $\text{Log}$ . Analytic solutions are shown in Table 2 using various formulations and the contour plots are also shown to compare with each other (Tables 3 and 4)<sup>Q3</sup>.

## CONCLUSIONS

In this paper, various approaches including Carrier and Pearson [1], Muskhelishvili [4], Ling [8], Timoshenko and Goordier [9], and Lebedev et al. [11] for solving eccentric Laplace problems were reviewed. Based on the conformal mapping, all of them are unified together. The relations among them are constructed through operations of translation, rotation, and inversion. One example was demonstrated to understand the relationship among various formulations.

## APPENDIX

From Equation (22), we have

$$z = -c \coth(i\zeta) = -c \frac{\cos h(i\zeta)}{\sinh(i\zeta)} = -c \frac{e^{i\zeta} + e^{-i\zeta}}{e^{i\zeta} - e^{-i\zeta}} \quad (\text{A1})$$

where  $\zeta = ((\xi + i\eta)/2)$ . Equation (A1) yields

$$(e^{i\zeta} - e^{-i\zeta})z = -c(e^{i\zeta} + e^{-i\zeta})$$

$$(z + c)e^{i\zeta} = (z - c)e^{-i\zeta}$$

$$e^{2i\zeta} = \frac{z - c}{z + c}$$

Since  $z - c = \Gamma_1 e^{i\phi_1}$  and  $z + c = \Gamma_2 e^{i\phi_2}$

$$2i\zeta = \log \frac{\Gamma_1 e^{i\phi_1}}{\Gamma_2 e^{i\phi_2}} \quad (\text{A2})$$

According to the definition of  $\zeta = ((\xi + i\eta)/2)$ , we obtain

$$i\zeta - \eta = \log \frac{\Gamma_1}{\Gamma_2} + i(\phi_1 - \phi_2)$$

Therefore, the equations of real and imaginary parts yield

$$\eta = \log \frac{\Gamma_2}{\Gamma_1}, \quad \xi = \varphi_1 - \varphi_2$$

This concludes the proof that  $(\Gamma_1/\Gamma_2)$  does not change for the constant  $\eta$  as shown in Figure 3.


## REFERENCES

- [1] G. F. Carrier and C. E. Pearson, Partial differential equation-theory and technique. New York, Academic Press, 1976, pp 68–71.
- [2] J. W. Brown and R. V. Churchill, Complex variables and applications. New York, McGraw-Hill, 2003.
- [3] O. E. Lafe, J. S. Montes, A. H. D. Cheng, J. A. Liggett, and P. L.-F. Liu, Singularity in Darcy flow through porous media, J Hydraulic Div, 106(1980), 977–997.
- [4] N. I. Muskhelishvili, Some basic problems of the mathematical theory of elasticity. Noordhoff, Groningen, 1953, pp 175–179.
- [5] W. C. Shen, “Null-field approach for Laplace problems with circular boundaries using degenerate kernels”, Master Thesis, National Taiwan Ocean University, Keelung, Taiwan, 2005.
- [6] M. R. Spiegel<sup>04</sup>, Theory and problems of complex variables. New York, McGraw-Hill, 1981.
- [7] T. Chen and I. S. Weng, Torsion of a circular compound bar with imperfect Interface, J Appl Mech, 68(2001), 955–958.
- [8] C. B. Ling, “Torsion of an eccentric circular tube”, Technical Report, No. 1, Chinese Bureau of Aeronautical Research, 1940.
- [9] S. P. Timoshenko and J. N. Goordier, Theory of elasticity. New York, McGraw-Hill, 1972, pp 196–202.
- [10] A. F. Bearson<sup>05</sup>, Complex analysis: The argument principle in analysis and topology. New York, Wiley, 1989.
- [11] N. N. Lebedev, I. P. Skalskaya, and Y. S. Uflyand, Worked problems in applied mathematics. New York, Dover, 1965.
- [12] L. S. Stephens and M. A. Casemore, Negative stiffness coefficients for magnetic actuators using Laplace’s equation, J Eng Gas Turbines Power, 123(2001), 612–618.
- [13] S. J. Farlow, Partial differential equations for scientists and engineers. Canada, Wiley, 1982.



**Jeng-Tzong Chen**, born in 1962, received a BS degree in Civil Engineering, an MS in Applied Mechanics, and a PhD in Civil Engineering, respectively, in 1984, 1986, and 1994, from National Taiwan University, Taipei, Taiwan, R.O.C. He had worked as a research assistant in the Structural Division of the Department of Rocket and Missile System, Chung Shan Institute of Science and Technology, from 1986 to 1990. In 1994, he was invited to be an Associate Professor in the Department of Harbor and River Engineering, National Taiwan Ocean University, Keelung, Taiwan, R.O.C. He was promoted to full professor in 1998. Later in 2004, he was selected to be the distinguished professor. Furthermore, he was selected as the life-time distinguished professor in 2007. His major interest is computational mechanics. He had derived the theory of dual integral equations for boundary value problems with degenerate boundary. Prof. Chen also developed four dual BEM programs for the BVPs of Laplace equation, Helmholtz equation, bi-Helmholtz and modified Helmholtz equation and Navier equation. Recently, he also employed the null field integral equations to solve BVPs with circular boundaries. He wrote two books in Chinese on dual BEM and FEM using MSC/NASTRAN, respectively. He was ever invited to give plenary and keynote lectures, for example, twice in World Congress on Computational Mechanics (WCCM4 in Buenos Aries and WCCM5 in Vienna) and FEM/BEM 2003 in St. Petersburg, Russia. Also, he is the editor of Journal of the Chinese Institute of Civil and Hydraulic Engineering. He has been the Editor of Journal of Marine Science and Technology and the guest editor of J. Chinese Institute of Engineers. He won several times of Outstanding Research Awards from

National Science Council, Taiwan. He also won the Wu, Ta-You Memorial Award in 2002. He is currently the member of editorial board of five international journals. Until now, he has published more than 111 SCI papers on BEM and FEM in technical journals. Nearly 466 citations can be found. Boundary element method is one focus of Professor Chen’s research interests. Others may be categorized into three areas. One is vibration and acoustics, another is computational mechanics and the other is engineering and mathematical education. E-mail: jtchen@mail.ntou.edu.tw; URL: <http://ind.ntou.edu.tw/~msvlab>.



**Ming-Hong Tsai** was a formerly undergraduate student of the Department of Harbor and River Engineering at National Taiwan Ocean University. He is currently a graduate student of Department of Engineering Science and Ocean Engineering at National Taiwan University.



**Chein-Shan Liu** was born in Taiwan on May 21, 1958. Since August 2000, he has been a faculty member of the Department of Mechanical and Mechatronic Engineering at National Taiwan Ocean University. His research interests can be categorized into five areas: material characterization, non-linear dynamics, inverse problem, numerical method, applied mathematics.

Q1: Please check the suitability of the suggested short title according to the maximum limit of 45 characters (including space) for this journal

Q2: Please check the presentation of reference citations in abstract.

Q3: Please check the placement of the inserted table citations.

Q4: Please provide citation in the text.

Q5: Please provide citation in the text.

Q6: Please insert subpart.





# WILEY

*Publishers Since 1807*

111 RIVER STREET, HOBOKEN, NJ 07030

## ELECTRONIC PROOF CHECKLIST, COMPUTER APPLICATIONS IN ENGINEERING EDUCATION

### \*\*\*IMMEDIATE RESPONSE REQUIRED\*\*\*

Please follow these instructions to avoid delay of publication.

**READ PROOFS CAREFULLY**

- This will be your only chance to review these proofs.
- Please note that the volume and page numbers shown on the proofs are for position only.

**ANSWER ALL QUERIES ON PROOFS** (Queries for you to answer are attached as the last page of your proof.)

- Mark all corrections directly on the proofs. Note that excessive author alterations may ultimately result in delay of publication and extra costs may be charged to you.

**CHECK FIGURES AND TABLES CAREFULLY** (Color figures will be sent under separate cover.)

- Check size, numbering, and orientation of figures.
- All images in the PDF are downsampled (reduced to lower resolution and file size) to facilitate Internet delivery. These images will appear at higher resolution and sharpness in the printed article.
- Review figure legends to ensure that they are complete.
- Check all tables. Review layout, title, and footnotes.

**COMPLETE REPRINT ORDER FORM**

- Fill out the attached reprint order form. It is important to return the form even if you are not ordering reprints. You may, if you wish, pay for the reprints with a credit card. Reprints will be mailed only after your article appears in print. This is the most opportune time to order reprints. If you wait until after your article comes off press, the reprints will be considerably more expensive.

**ADDITIONAL COPIES**

- If you wish to purchase additional copies of the journal in which your article appears, please contact Neil Adams at (201) 748-8839, fax (201) 748-6021, or E-mail at nadams@wiley.com

**RETURN**

- PROOFS**  
 **REPRINT ORDER FORM**  
 **CTA (If you have not already signed one)**

**RETURN WITHIN 48 HOURS OF RECEIPT VIA E-MAIL OR FAX TO 201-748-6182**

**QUESTIONS?**

Laura Espinet, Associate Production Manager  
Phone: 201-748-8884  
E-mail: lespinet@wiley.com  
Refer to journal acronym and article production number  
(i.e., CAE 00-001 for *Computer Applications in Engineering Education* ms 00-001).

# COPYRIGHT TRANSFER AGREEMENT



Date: \_\_\_\_\_ Contributor name: \_\_\_\_\_

Contributor address: \_\_\_\_\_

Manuscript number (Editorial office only): \_\_\_\_\_

Re: Manuscript entitled \_\_\_\_\_

\_\_\_\_\_ (the "Contribution")

for publication in \_\_\_\_\_ (the "Journal")

published by \_\_\_\_\_ ("Wiley-Blackwell").

Dear Contributor(s):

Thank you for submitting your Contribution for publication. In order to expedite the editing and publishing process and enable Wiley-Blackwell to disseminate your Contribution to the fullest extent, we need to have this Copyright Transfer Agreement signed and returned as directed in the Journal's instructions for authors as soon as possible. If the Contribution is not accepted for publication, or if the Contribution is subsequently rejected, this Agreement shall be null and void. **Publication cannot proceed without a signed copy of this Agreement.**

## A. COPYRIGHT

1. The Contributor assigns to Wiley-Blackwell, during the full term of copyright and any extensions or renewals, all copyright in and to the Contribution, and all rights therein, including but not limited to the right to publish, republish, transmit, sell, distribute and otherwise use the Contribution in whole or in part in electronic and print editions of the Journal and in derivative works throughout the world, in all languages and in all media of expression now known or later developed, and to license or permit others to do so.

2. Reproduction, posting, transmission or other distribution or use of the final Contribution in whole or in part in any medium by the Contributor as permitted by this Agreement requires a citation to the Journal and an appropriate credit to Wiley-Blackwell as Publisher, and/or the Society if applicable, suitable in form and content as follows: (Title of Article, Author, Journal Title and Volume/Issue, Copyright © [year], copyright owner as specified in the Journal). Links to the final article on Wiley-Blackwell's website are encouraged where appropriate.

## B. RETAINED RIGHTS

Notwithstanding the above, the Contributor or, if applicable, the Contributor's Employer, retains all proprietary rights other than copyright, such as patent rights, in any process, procedure or article of manufacture described in the Contribution.

## C. PERMITTED USES BY CONTRIBUTOR

1. **Submitted Version.** Wiley-Blackwell licenses back the following rights to the Contributor in the version of the Contribution as originally submitted for publication:

a. After publication of the final article, the right to self-archive on the Contributor's personal website or in the Contributor's institution's/employer's institutional repository or archive. This right extends to both intranets and the Internet. The Contributor may not update the submission version or replace it with the published Contribution. The version posted must contain a legend as follows: This is the pre-peer reviewed version of the following article: FULL CITE, which has been published in final form at [Link to final article].

b. The right to transmit, print and share copies with colleagues.

2. **Accepted Version.** Re-use of the accepted and peer-reviewed (but not final) version of the Contribution shall be by separate agreement with Wiley-Blackwell. Wiley-Blackwell has agreements with certain funding agencies governing reuse of this version. The details of those relationships, and other offerings allowing open web use, are set forth at the following website: <http://www.wiley.com/go/funderstatement>. NIH grantees should check the box at the bottom of this document.

3. **Final Published Version.** Wiley-Blackwell hereby licenses back to the Contributor the following rights with respect to the final published version of the Contribution:

a. Copies for colleagues. The personal right of the Contributor only to send or transmit individual copies of the final published version in any format to colleagues upon their specific request provided no fee is charged, and further-provided that there is no systematic distribution of the Contribution, e.g. posting on a listserve, website or automated delivery.

b. Re-use in other publications. The right to re-use the final Contribution or parts thereof for any publication authored or edited by the Contributor (excluding journal articles) where such re-used material constitutes less than half of the total material in such publication. In such case, any modifications should be accurately noted.

c. Teaching duties. The right to include the Contribution in teaching or training duties at the Contributor's institution/place of employment including in course packs, e-reserves, presentation at professional conferences, in-house training, or distance learning. The Contribution may not be used in seminars outside of normal teaching obligations (e.g. commercial seminars). Electronic posting of the final published version in connection with teaching/training at the Contributor's institution/place of employment is permitted subject to the implementation of reasonable access control mechanisms, such as user name and password. Posting the final published version on the open Internet is not permitted.

d. Oral presentations. The right to make oral presentations based on the Contribution.

4. **Article Abstracts, Figures, Tables, Data Sets, Artwork and Selected Text (up to 250 words).**

a. Contributors may re-use unmodified abstracts for any non-commercial purpose. For on-line uses of the abstracts, Wiley-Blackwell encourages but does not require linking back to the final published versions.

b. Contributors may re-use figures, tables, data sets, artwork, and selected text up to 250 words from their Contributions, provided the following conditions are met:

- (i) Full and accurate credit must be given to the Contribution.
- (ii) Modifications to the figures, tables and data must be noted. Otherwise, no changes may be made.
- (iii) The reuse may not be made for direct commercial purposes, or for financial consideration to the Contributor.
- (iv) Nothing herein shall permit dual publication in violation of journal ethical practices.

#### D. CONTRIBUTIONS OWNED BY EMPLOYER

1. If the Contribution was written by the Contributor in the course of the Contributor's employment (as a "work-made-for-hire" in the course of employment), the Contribution is owned by the company/employer which must sign this Agreement (in addition to the Contributor's signature) in the space provided below. In such case, the company/employer hereby assigns to Wiley-Blackwell, during the full term of copyright, all copyright in and to the Contribution for the full term of copyright throughout the world as specified in paragraph A above.

2. In addition to the rights specified as retained in paragraph B above and the rights granted back to the Contributor pursuant to paragraph C above, Wiley-Blackwell hereby grants back, without charge, to such company/employer, its subsidiaries and divisions, the right to make copies of and distribute the final published Contribution internally in print format or electronically on the Company's internal network. Copies so used may not be resold or distributed externally. However the company/employer may include information and text from the Contribution as part of an information package included with software or other products offered for sale or license or included in patent applications. Posting of the final published Contribution by the institution on a public access website may only be done with Wiley-Blackwell's written permission, and payment of any applicable fee(s). Also, upon payment of Wiley-Blackwell's reprint fee, the institution may distribute print copies of the published Contribution externally.

#### E. GOVERNMENT CONTRACTS

In the case of a Contribution prepared under U.S. Government contract or grant, the U.S. Government may reproduce, without charge, all or portions of the Contribution and may authorize others to do so, for official U.S. Govern-

ment purposes only, if the U.S. Government contract or grant so requires. (U.S. Government, U.K. Government, and other government employees: see notes at end)

#### F. COPYRIGHT NOTICE

The Contributor and the company/employer agree that any and all copies of the final published version of the Contribution or any part thereof distributed or posted by them in print or electronic format as permitted herein will include the notice of copyright as stipulated in the Journal and a full citation to the Journal as published by Wiley-Blackwell.

#### G. CONTRIBUTOR'S REPRESENTATIONS

The Contributor represents that the Contribution is the Contributor's original work, all individuals identified as Contributors actually contributed to the Contribution, and all individuals who contributed are included. If the Contribution was prepared jointly, the Contributor agrees to inform the co-Contributors of the terms of this Agreement and to obtain their signature to this Agreement or their written permission to sign on their behalf. The Contribution is submitted only to this Journal and has not been published before. (If excerpts from copyrighted works owned by third parties are included, the Contributor will obtain written permission from the copyright owners for all uses as set forth in Wiley-Blackwell's permissions form or in the Journal's Instructions for Contributors, and show credit to the sources in the Contribution.) The Contributor also warrants that the Contribution contains no libelous or unlawful statements, does not infringe upon the rights (including without limitation the copyright, patent or trademark rights) or the privacy of others, or contain material or instructions that might cause harm or injury.

---

#### CHECK ONE BOX:

<input type="checkbox"/> Contributor-owned work		
<b>ATTACH ADDITIONAL SIGNATURE PAGES AS NECESSARY</b>	Contributor's signature _____	Date _____
	Type or print name and title _____	
	Co-contributor's signature _____	Date _____
	Type or print name and title _____	
<input type="checkbox"/> Company/Institution-owned work (made-for-hire in the course of employment)	Company or Institution (Employer-for-Hire) _____	Date _____
	Authorized signature of Employer _____	Date _____
<input type="checkbox"/> U.S. Government work	<b>Note to U.S. Government Employees</b> A contribution prepared by a U.S. federal government employee as part of the employee's official duties, or which is an official U.S. Government publication, is called a "U.S. Government work," and is in the public domain in the United States. In such case, the employee may cross out Paragraph A.1 but must sign (in the Contributor's signature line) and return this Agreement. If the Contribution was not prepared as part of the employee's duties or is not an official U.S. Government publication, it is not a U.S. Government work.	
<input type="checkbox"/> U.K. Government work (Crown Copyright)	<b>Note to U.K. Government Employees</b> The rights in a Contribution prepared by an employee of a U.K. government department, agency or other Crown body as part of his/her official duties, or which is an official government publication, belong to the Crown. U.K. government authors should submit a signed declaration form together with this Agreement. The form can be obtained via <a href="http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm">http://www.opsi.gov.uk/advice/crown-copyright/copyright-guidance/publication-of-articles-written-by-ministers-and-civil-servants.htm</a>	
<input type="checkbox"/> Other Government work	<b>Note to Non-U.S., Non-U.K. Government Employees</b> If your status as a government employee legally prevents you from signing this Agreement, please contact the editorial office.	
<input type="checkbox"/> NIH Grantees	<b>Note to NIH Grantees</b> Pursuant to NIH mandate, Wiley-Blackwell will post the accepted version of Contributions authored by NIH grant-holders to PubMed Central upon acceptance. This accepted version will be made publicly available 12 months after publication. For further information, see <a href="http://www.wiley.com/go/nihmandate">www.wiley.com/go/nihmandate</a> .	



**WILEY**

*Publishers Since 1807*

111 RIVER STREET, HOBOKEN, NJ 07030

COMPUTER APPLICATIONS IN ENGINEERING EDUCATION (CAE)

To: Laura Espinet

Company: \_\_\_\_\_

Phone: 201-748-8884

Fax: 201-748-6182

From: \_\_\_\_\_

Date: \_\_\_\_\_

Pages including this cover  
page: \_\_\_\_\_

Message:

Re:

---

---



## **Softproofing for advanced Adobe Acrobat Users - NOTES tool**

NOTE: ADOBE READER FROM THE INTERNET DOES NOT CONTAIN THE NOTES TOOL USED IN THIS PROCEDURE.

Acrobat annotation tools can be very useful for indicating changes to the PDF proof of your article. By using Acrobat annotation tools, a full digital pathway can be maintained for your page proofs.

The NOTES annotation tool can be used with either Adobe Acrobat 4.0, 5.0 or 6.0. Other annotation tools are also available in Acrobat 4.0, but this instruction sheet will concentrate on how to use the NOTES tool. Acrobat Reader, the free Internet download software from Adobe, DOES NOT contain the NOTES tool. In order to softproof using the NOTES tool you must have the full software suite Adobe Acrobat 4.0, 5.0 or 6.0 installed on your computer.

### **Steps for Softproofing using Adobe Acrobat NOTES tool:**

1. Open the PDF page proof of your article using either Adobe Acrobat 4.0, 5.0 or 6.0. Proof your article on-screen or print a copy for markup of changes.
2. Go to File/Preferences/Annotations (in Acrobat 4.0) or Document/Add a Comment (in Acrobat 6.0) and enter your name into the "default user" or "author" field. Also, set the font size at 9 or 10 point.
3. When you have decided on the corrections to your article, select the NOTES tool from the Acrobat toolbox and click in the margin next to the text to be changed.
4. Enter your corrections into the NOTES text box window. Be sure to clearly indicate where the correction is to be placed and what text it will effect. If necessary to avoid confusion, you can use your TEXT SELECTION tool to copy the text to be corrected and paste it into the NOTES text box window. At this point, you can type the corrections directly into the NOTES text box window. **DO NOT correct the text by typing directly on the PDF page.**
5. Go through your entire article using the NOTES tool as described in Step 4.
6. When you have completed the corrections to your article, go to File/Export/Annotations (in Acrobat 4.0) or Document/Add a Comment (in Acrobat 6.0).
7. **When closing your article PDF be sure NOT to save changes to original file.**
8. To make changes to a NOTES file you have exported, simply re-open the original PDF proof file, go to File/Import/Notes and import the NOTES file you saved. Make changes and re-export NOTES file keeping the same file name.
9. When complete, attach your NOTES file to a reply e-mail message. Be sure to include your name, the date, and the title of the journal your article will be printed in.